



## Vaccination and Health Chart for A Foal out of a Unvaccinated Mare

Use this chart to record your horse's health record.

Amy Rippy, DVM  
 Ryan P. Jacques, DVM  
 PO Box 1498,  
 Celina, Texas 75009  
 Phone (972) 382-8331  
 E-mail: [Info@riverbendequine.com](mailto:Info@riverbendequine.com)  
 Website: [www.Riverbendequine.com](http://www.Riverbendequine.com)

Horse:

	1 month	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	1 year
Rabies												
EEE												
WEE												
West Nile												
Tetanus												
Rhino												
Influenza												
Strangles												
Coggins												
Deworming												

We recommend vaccination begin at about 3 months of age. Eastern and Western Encephalitis, Influenza, Rhinonumonitis, Rabies, West Nile and Strangles (if desired) should be given and then have a booster vaccination given about 30 days later. A second booster is given 6 months later. Shaded areas indicate the age that each vaccination should be administered. A Coggins test should be done once the foal is 6 months old or weaned which ever comes first. We recommend de-worming at approximately 8 week intervals, rotating the type of de-wormer used. For a copy of our recommended rotation for de-wormers please call or ask for a schedule. For any other questions about your foal's health care please call our office (972) 382-8331 or ask one of our veterinarians for further recommendations.