



## Vaccination and Health Chart for A Pregnant Mare

Use this chart to record your horse's health record.

Amy Rippy, DVM  
Ryan P. Jacques, DVM  
PO Box 1498,  
Celina, Texas 75009  
Phone (972) 382-8331  
E-mail: [Info@riverbendequine.com](mailto:Info@riverbendequine.com)  
Website: [www.Riverbendequine.com](http://www.Riverbendequine.com)

Horse:

	1st month	2nd month	3rd month	4th month	5th month	6th months	7th month	8th month	9th month	10th month	11th month
Rabies											
EEE											
WEE											
West Nile											
Tetanus											
Rhino											
Influenza											
Strangles											
Pneumobort - K											
Coggins											
Deworming											
Dental											

We recommend vaccination about 1 month prior to breeding. Eastern and Western Encephalitis, Influenza, Rhino, and West Nile should be given twice a year. The first set of vaccinations should be given during the 4<sup>th</sup> month of pregnancy and the second set should be given thirty days prior to foaling. Rabies should be given once a year as well as Strangles (if desired). Pneumobort - K should be given during the 5<sup>th</sup>, 7<sup>th</sup> and 9<sup>th</sup> months of pregnancy to help prevent abortion due to the herpes virus. Shaded areas indicate the recommended time of year for your horse to receive each vaccination. The Coggins test can be performed at any time of year. The dental exam and float should be performed in the 6<sup>th</sup> to 9<sup>th</sup> month to ensure safety for the fetus. Mares should be de-wormed on the day of foaling with Ivermectin. We recommend de-worming at approximately 8 week intervals, rotating the type of de-wormer used. For a copy of our recommended rotation for de-wormers please call or ask for a schedule. For any other questions about your horse's health care please call our office (972) 382-8331 or ask one of our veterinarians for further recommendations.